

## PATENT APPLICATION

BE IT KNOWN, that Thomas E. Coverstone has invented a new and useful improvement in:

**SYSTEM AND METHOD FOR WIRELESS TELECOMMUNICATIONS  
NETWORK**

Thomas E. Coverstone (Reg. No. 36,492)  
P.O. Box 2167  
Rancho Santa Fe, CA 92067

Express Mail Label No. ET003769645US  
Date of Deposit: December 13, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

THOMAS E. COVERSTONE  
Typed or printed Name of person mailing paper or fee

Thomas E. Coverstone  
Signature of person mailing paper or fee

**PATENT APPLICATION**

Express Mail Label No. ET003769645US  
Date of Deposit: December 13, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Thomas E. Lovestone  
Typed or printed Name of person mailing paper or fee

Thomas E. Lovestone  
Signature of person mailing paper or fee

**SYSTEM AND METHOD FOR WIRELESS TELECOMMUNICATIONS  
NETWORK****RELATED APPLICATIONS**

This patent application claims the benefit of U.S. Provisional Patent Application Serial No. 60/255,331 filed on December 13, 2000, and entitled System and Method for Wireless Telecommunications Network, which is incorporated by reference herein in its entirety as though set out in full.

**BACKGROUND OF THE INVENTION****Field of the Invention**

The present invention relates to wireless telecommunications network. More particularly, the present invention relates to a wireless telecommunications network wherein information relating to a communication device is stored and processed.

**Brief Description of the Related Art**

Typical wireless networks allow for two way telecommunications between multiple users utilizing communication devices; such as handsets or PDAs communicating with at least one base station. Advances in wireless telecommunications will soon provide a user location feature by locating a wireless communication device, for example, during an emergency. Such a feature typically utilizes a Global Positioning Satellite (GPS)

system which has the capability of tracking the movements of each specific wireless communication device, such as a cellular telephone handset or PDA and its user. As GPS technology improves, the specific location of the cellular telephone handset and its user will be accurate within a few feet, or even less.

### SUMMARY OF THE INVENTION

A first aspect of the invention is related to a telecommunications network that includes a communication device, a tracking system for tracking the communication device, and a processing device that processes information received directly or indirectly from the tracking system.

Another aspect of the invention is related to a wireless telecommunications system that includes a wireless communication device being capable of communicating with an existing position location system, and a system for storing and processing location positions of the wireless communication device. In another embodiment of this aspect of the invention, the system for storing location positions includes at least one database. In yet another embodiment of this aspect of the invention, the system stores and processes additional information relating to the wireless communication device, such as transactions made with or relating to the wireless the communication device.

Yet another aspect of the invention is related to a wireless telecommunications system includes a wireless communication device including a location position feature, the wireless communication device is capable of communicating with an existing position location system, and a system for storing and processing location positions of the wireless communication device.

Another aspect of the invention is related to a wireless telecommunications system that includes a wireless communication device being capable of communicating with an existing position location system, a memory device for storing position locations of the wireless communication device, and a processor for processing information from the memory device.

Yet another aspect of the invention is related to a wireless telecommunications system capable of communicating with an existing wireless communication device that is capable of communicating with an existing position location system. The system includes a memory device for storing location positions of the wireless communication device, and a processing system for processing information from the memory device and relating to the stored location positions of the wireless communication device.

Another aspect of the invention relates to a system that is used with an existing wireless communication device that is capable of communicating with an existing position location system, the system includes a memory device for storing position

locations of the wireless communication device and a processor for processing information from the memory device.

Yet another aspect of the invention relates to a system that is used with at least one wireless communication device that is capable of communicating with a position location system, the system includes a memory device for storing position locations of the wireless communication device and a processor for determining trends from the position locations stored in the memory device.

Another aspect of the invention relates to a system that is used with a wireless communication device that is capable of communicating with a position location system, the system includes a memory device for storing transactions made relating to the wireless communication device and a processor for determining trends from the transactions stored in the memory device.

Yet another aspect of the invention relates to a system that is used with a wireless communication device and a position location system, the wireless communication device being capable of communicating with the position location system. The system includes a memory device for storing position locations of the wireless communication device and for storing transactions made relating to the wireless communication device and a processor for determining trends by recalling stored information from the memory device and processing the recalled information.

Another aspect of the invention relates to a wireless communication system that is used with a wireless communication device and a position location system, the wireless communication device being capable of communicating with the position location system. The wireless communication system includes a memory device for storing position locations of the wireless communication device and for storing transactions made relating to the wireless communication device, a processor for determining trends by recalling stored information from the memory device and processing the recalled information, and a transmitter for transmitting targeted broadcasts to the wireless communication device based on the current location of the communication device.

Still yet another aspect of the invention relates to a wireless communication system that is used with a wireless communication device and a position location system, the wireless communication device being capable of communicating with the position location system. The wireless communication system includes a memory device for storing position locations of the wireless communication device and for storing transactions made relating to the wireless communication device, a processor for determining trends by recalling stored information from the memory device and processing the recalled information, and a transmitter for transmitting targeted broadcasts to the wireless communication device based on the trends of the communication device.

## BRIEF DESCRIPTION OF THE DRAWINGS

The invention will now be described in greater detail with reference to the preferred embodiments illustrated in the accompanying drawings, in which like elements bear like reference numerals, and wherein:

FIG. 1 illustrates a schematic representation illustrating an exemplary wireless telecommunications network according to the present invention;

FIG. 2 is a block diagram illustrating an example of a computer system used to implement the present invention;

FIG. 3 is a block diagram illustrating an example of a system configuration used to implement the present invention;

FIG. 4 is a flow chart illustrating a communication device user preselection process according to the present invention;

FIG. 5 is a flow chart illustrating the a communication device user usage pattern as tracked according to the present invention; and

FIG. 6 is a flow chart illustrating the tracking and usage analysis of the communication device as well as the resulting targeted broadcasting to the communication device according to the present invention.

## DETAILED DESCRIPTION AND PREFERRED EMBODIMENTS

FIG. 1 illustrates an exemplary GPS system with a wireless device, such as a cellular wireless handset or PDA device 10 in communication with a GPS system 12, wherein the system 12 typically includes a plurality of satellites 14, 16 and 18, and a ground station 20 with a transmitter and receiver 22. The satellites communicate with the handset 10 and with each other to determine the location of the device 10 and the user. The terms communication device and user may be used interchangeably herein. It will be understood by those skilled in the art that any type of GPS system would work with the present invention. In addition, the GPS system 12 has the capability to identify the communication device 10 by various methods, such as coding the communications from a particular handset to the GPS system.

The GPS system 12 locates and identifies a particular user. The GPS ground station may include a computer system, or the computer system may be independent of the ground station. For example, the computer system may be housed in a separate satellite, a separate ground based system, or may be embedded in at least one of

**SECRET**

*[The following page contains extremely faint, illegible text.]*

[illegible]

FIG. 5 illustrates how the user's actions, or inactions are stored in memory to compile, maintain, and update the historical demographics and database relating to the user. At step 70, the user is notified based on preselections made. The user's actions or inactions are stored at step 80 based upon the notification of the preselected event. Other actions or inactions include step 72, where the user requests information based on interests not preselected or based on the user's location. At step 74 the user travels frequent or frequented routes and these actions are stored into memory. At step 76, the user responds to broadcasts from the telecommunication system and the user's actions are stored into memory. At step 78, the user acts independently, such as making a visiting or making a purchase at a store. Purchases by the user are stored when the user utilizes the communication device to make the purchase. Bluetooth technology or other short distance wireless communication standards allow the communication device to make purchases.

In one embodiment of the present invention, a user of a device logs onto the computer system via the device, a land based telephone, a computer, or other communication means via the Internet, land based telephone lines, or other communication devices. The term device and handset are also used interchangeably herein. The user identifies himself or herself by the logging on process and then communicates with the computer system by inputting certain information into computer screens. It will be appreciated that parents will have certain controls available to them to either preselect what their children will have access to at a subsequent log on or will be able to prevent their children to have access to certain material. After the user logs on to the system, the user will be able to determine what communications he or she will receive. For example, the user may select to receive advertisements from certain stores and/restraurants, or select from other categories of interest such as concerts, grocery stores, department stores, specialty stores, libraries, parks, etcetera, so that when the handset is within a certain distance or range from the area of interest, an advertisement or message from the area of interest will be broadcast on the handset, either by voice, ring, or message on the handset screen.

The user also may select that he wishes to receive a message when he is in a certain distance of another person or persons who have the same selected interest. For example, a male looking for a female, who is looking for a male. These examples are not exhaustive of the potential lists of matches that could be preselected on the computer system and then executed when the users are in different environments. Of course, for the communication to be executed by the computer system, all participants must have preselected to receive such communications. For example, in the case people looking for other people, both must have preselected that they were willing to communicate with people of their respective categories. In another embodiment, certain users may not preselect whom they will receive communications from. For example, for users who desire to have a free wireless service, the trade off may be that they cannot screen or preselect who they will receive communications or broadcasts from.

After the user preselects the areas of interest, the user then establishes a pattern of usage by receiving messages, responding to the messages by either ignoring them or acting upon them, and such usage, responses and lack thereof are recorded by the computer system in the database for each particular user. The device uploads data to the computer system by a variety of methods. For example, the GPS system monitors the whereabouts of the user and determines if the user has responded to an advertisement by going to one of the places that was preselected and an advertisement was sent. In the alternative, the advertisement may send a teaser advertisement to the user wherein the user must respond to obtain the full advertisement, such as a percentage off, or to obtain the address of the advertiser and may poll the user whether the user actually went to the advertiser's location. Another alternative is for the advertisers to have short wave communication systems in place, such as a BLUETOOTH enabled system, so that when the user enters the advertiser's place of a business, the device communicates with the BLUETOOTH enabled system and the database is then updated of the user's actions. It will be recognized that utilizing this technology, a user does not have to preselect a certain establishment, but may be included in a demographic group by just visiting an establishment. This method allows the demographic group to include registered as well as nonregistered users. Also, purchases made with a handset or via a handset may be tracked.

After the database is updated regarding the users responses to certain advertisements, a demographic profile of the user or a particular handset is developed in the computer system 20 utilizing the data in database. Of course, such a demographic profile is very valuable and could be sold to various merchants or advertisers who the user would be a likely customer of. Also, based on the user's or handset's profile, the advertisements may be altered to provide a higher success rate of execution or follow through on the advertisement. For example, if a user has positively responded to certain advertisements in the past to an establishment, subsequent advertisements may include further discounts, such as a frequent user discount that is displayed on the user's screen or a frequent user discount that is left in the user's voicemail box with a code that may be used for redemption. The advertisements or redemptions may be proportionate to the need of a user's inventory or business cycle.

For example, if a particular restaurant is slow on Wednesdays, advertisements may be broadcast to a select group of users or handsets based on the demographic profiles for special pricing on Wednesdays. Another advantage of the present invention is that custom advertisements for certain groups of users that have been compiled may be quickly broadcast based on business conditions. For example, using the restaurant case study again, if a restaurant is having a slow night that might not typically be a slow night, a broadcast could be sent to a certain group of frequent users/diners. Another example could include if the restaurant has an oversupply of food that needs to be sold versus being discarded. The system disclosed may also be utilized by broadcasting specials and asking for a response to make reservations or to make a purchase. It will be appreciated that the restaurant example is exemplary only and is not intended to be a limitation; the disclosed method and system can be utilized in endless situations. It will



also be appreciated that the customized broadcasts may be either proportional or reversely proportional based on the user's history. For example, an establishment may reward frequent usage by providing more frequent or greater discounts for frequent purchasers. In the alternative, more frequent or greater discounts may be provided to first timers to get them into the establishments with the discounts becoming less frequent or for lesser amounts once more frequent usage is established. Of course the broadcast discounts may be increased if usage is determined to be diminished. An advantage of the present invention is that each user may be tracked and broadcasts sent to the user's handset based on the user's responses to past broadcasts and subsequent behavior.

The disclosed first embodiment includes any analysis or manipulation of the user's history to customize certain broadcasts to the user or handset. It will be appreciated by those skilled in the art that the user's history may be analyzed in several ways. To list just a few, the user's history may be analyzed based on geographic history, chronological history, user family history in the case of multiple users for a handset, seasonal history, usage patterns either in serial or parallel, etcetera.

FIG. 6 illustrate a flow chart according to the present invention. At step 82 a baseline is established for a user or handset based on preselections 84 made by the user making selections regarding broadcasts that he is interested in receiving or by starting with usage 86, if any, of the handset which is tracked. In step 88 broadcasts are sent to the handset based on selections made or based on a set of defaults or based on usage at step, if any. The usage of handset is subsequently tracked in step 90, usage meaning locations of the handset, purchases made with the handset, and communications made with the handset, as well as other methods to track usage. The database is updated in step 92 based on the usage of the handset. In step 94 information in the databases are analyzed or filtered. In step 96 a historical demographic is established based on the usage of the handset. In step 98 the demographic is analyzed to recognize patterns in said usage, whether the patterns are in responses to broadcasts sent to the handset or not. In step 100 user groups are established based on the demographics analyzed. This allows broadcasts to be sent to specific user groups. In step 102 broadcasts are sent to users based on the demographics established and analyzed. The process then continues by looping back to step 90 with the usage being tracked. This method establishing a very accurate demographic profile as a function of time and the tracking of usage. This method allows the demographic profile to be modified as the user's tastes and preferences change.

Other features of the present invention include the demographic profile being stored on a computer so that as the user changes handsets do to upgrades, breakage, or loss, the profile may be easily switched to another handset by simply logging onto to the computer system or by the handset or network's customer service personnel.

Another example is the present invention could be used to create a dynamic marketplace for placing orders for advertisements, that are based on availability. For example, if an establishment has an oversupply, broadcasts

could be placed to a user or a user group and a purchase could be made with the device and an account could be charged. Therefore, based on availability, prices for advertisements and goods would fluctuate in real time. Goods could also be auctioned. Also, frequent advertisers and purchasers could be rewarded with discounts.

While the invention is being described in detail with reference to the preferred embodiments thereof, it will be apparent to one skilled in the art that various changes and modifications can be made and equivalents employed, without departing from the present invention.